

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11910121	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 01/28/2013
NAME OF PROVIDER OR SUPPLIER ROCKY CREEK VILLAGE			STREET ADDRESS, CITY, STATE, ZIP CODE 8606 BOULDER COURT TAMPA, FL 33615		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 000	Initial Comments Assisted Living Facility A complaint survey, CCR# 2013000579, was conducted on 01/28/13. The Rocky Creek Village, assisted living facility, had no deficiencies found at the time of the visit.	A 000			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

6390

WMZP11

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

February 6, 2013

Administrator
Rocky Creek Village
8606 Boulder Court
Tampa, FL 33615

Re: CCR# 2013000579

Dear Administrator:

This letter reports the findings of a complaint survey completed on January 28, 2013, by a representative of this office.

Attached is the provider's copy of the State (3020) Form, indicating no deficiencies were identified during this survey.

The *Quality Assurance Questionnaire* has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions, please contact **Paul Brown**, HFES, at (727) 552-2000.

Sincerely,

Patricia Reid Cauffman
Field Office Manager

For

PRC/kpr

Enclosure: State Form 3020

