

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964459	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 01/17/2013
NAME OF PROVIDER OR SUPPLIER CITRUS GARDEN ALF		STREET ADDRESS, CITY, STATE, ZIP CODE 4805 EAST LAKE DRIVE WINTER SPRINGS, FL 32708		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	
A 000	Initial Comments 1/17/13 conducted Abbreviated Assisted Living Facility biennial relicensure survey at Citrus Gardens Assisted Living Facility. There were no deficiencies found at the time of the visit.	A 000		

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

6899

2QHK11

If continuation sheet 1 of 1

RICK SCOTT
GOVERNOR



ELIZABETH DUDEK
SECRETARY

February 11, 2013

Administrator
Citrus Garden Alf
4805 East Lake Drive
Winter Springs, FL 32708

Re: Abbreviated biennial relicensure

Dear Administrator:

This letter reports findings of a state licensure survey that was conducted on January 17, 2013 by representative(s) of this office. Attached is the provider's copy of the State (3020) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Lorraine Henry at (407) 420-2502.

Sincerely,



Theresa DeCanio, RN
Field Office Manager

LH/be
Enclosure

