

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11964709	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 2/12/2013
---	--	-----------------------------------

Name of Facility

Street Address, City, State, Zip Code

STERLING HOUSE OF BLUE WATER BAY

1551 MERCHANTS WAY
NICEVILLE, FL 32578

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>AZ815</u> Reg. # <u>408.809, 435.02(2), 435.06</u> LSC _____	Correction Completed 02/12/2013	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By _____

Reviewed By _____

Date: _____

Signature of Surveyor: _____

Date: _____

State Agency _____

Reviewed By _____

Date: _____

Signature of Surveyor: _____

Date: _____

CMS RO

Followup to Survey Completed on:

1/2/2013

Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964709	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R 02/12/2013
NAME OF PROVIDER OR SUPPLIER STERLING HOUSE OF BLUE WATER BAY		STREET ADDRESS, CITY, STATE, ZIP CODE 1551 MERCHANTS WAY NICEVILLE, FL 32578			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
{A 000}	Initial Comments An unannounced follow-up visit to a Limited Nursing Service monitoring visit was conducted at Sterling House of Blue Water Bay on 2/12/13. No deficient practice was found at the time of the survey.	{A 000}			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

0000

7NV012

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

February 13, 2013

Administrator
Sterling House Of Blue Water Bay
1551 Merchants Way
Niceville, FL 32578

Dear Administrator:

This letter reports the findings of a limited nursing services state licensure survey revisit conducted on February 12, 2013 by a representative of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call me at 850-412-4540.

Sincerely,

for Patricia McIntire, RNC
Donah Heiberg, M.S.W.
Field Office Manager

DH/pm
Enclosure

J5XD

