

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11966585	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 02/04/2013
NAME OF PROVIDER OR SUPPLIER PALM AVENUE BAPTIST TOWER ALF		STREET ADDRESS, CITY, STATE, ZIP CODE 215 EAST PALM AVENUE TAMPA, FL 33602			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 000	Initial Comments Assisted Living Facility An extended congregate care (ECC) monitoring visit was conducted on 02/04/13. The Palm Avenue Baptist Tower, assisted living facility, had no deficiencies found at the time of the visit.	A 000			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

0000

26R211

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

February 19, 2013

Administrator
Palm Avenue Baptist Tower ALF
215 East Palm Avenue
Tampa, FL 33602

Dear Administrator:

This letter reports findings of an extended congregate care (ECC) monitoring visit that was conducted on February 4, 2013, by a representative of this office. Attached is the provider's copy of the State (3020) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call **Paul Brown**, HFES, at (727) 552-2000.

Sincerely,

for

Patricia Reid Cauffman
Field Office Manager

PRC/kpr

Enclosure: State Form 3020

Headquarters
2727 Mahan Drive
Tallahassee, FL 32308
<http://ahca.myflorida.com>



St. Petersburg Field Office
525 Mirror Lake Drive North, Suite 410 A
St. Petersburg, FL 33701
Phone (727) 552-2000; Fax (727) 552-1161