

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968398	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 02/27/2013
NAME OF PROVIDER OR SUPPLIER SANTA LUCIA ALF, INC			STREET ADDRESS, CITY, STATE, ZIP CODE 2706 WESTHIGH AVE EGYPT LAKE, FL 33614		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 000	Initial Comments Assisted Living Facility An initial state licensure survey was conducted on 2/27/13. The Santa Lucia Assisted Living Facility, Inc. had no deficiencies found at the time of the visit.	A 000			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

0900

1W9011

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

March 5, 2013


Administrator
Santa Lucia ALF, Inc
2706 Westhigh Ave
Egypt Lake, FL 33614

Dear Administrator:

This letter reports findings of an initial state licensure survey that was conducted on February 27, 2013, by a representative of this office. Attached is the provider's copy of the State (3020) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call **Paul Brown**, HFES, at (727) 552-2000.

Sincerely,

For Patricia Reid Cauffman
Field Office Manager

PRC/kpr

Enclosure: State Form 3020

