

3/8/2013

## State Form: Revisit Report

|                                                                       |                                                                                   |                                  |
|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------|
| (Y1) Provider / Supplier / CLIA / Identification Number<br>AL11942940 | (Y2) Multiple Construction<br>A. Building<br>B. Wing                              | (Y3) Date of Revisit<br>3/4/2013 |
| Name of Facility<br>SOUTH OAKS ASSISTED LIVING HOME, LLC              | Street Address, City, State, Zip Code<br>6141 SW 34TH STREET<br>MIRAMAR, FL 33023 |                                  |

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

| (Y4) Item                                          | (Y5) Date                          | (Y4) Item                                                  | (Y5) Date                          | (Y4) Item                                          | (Y5) Date                          |
|----------------------------------------------------|------------------------------------|------------------------------------------------------------|------------------------------------|----------------------------------------------------|------------------------------------|
| ID Prefix A0025<br>Reg. # 58A-5.0182(1) FAC<br>LSC | Correction Completed<br>03/04/2013 | ID Prefix A0030<br>Reg. # 58A-5.0182(6) FAC; 429.28<br>LSC | Correction Completed<br>03/04/2013 | ID Prefix A0054<br>Reg. # 58A-5.0185(5) FAC<br>LSC | Correction Completed<br>03/04/2013 |
| ID Prefix<br>Reg. #<br>LSC                         | Correction Completed               | ID Prefix<br>Reg. #<br>LSC                                 | Correction Completed               | ID Prefix<br>Reg. #<br>LSC                         | Correction Completed               |
| ID Prefix<br>Reg. #<br>LSC                         | Correction Completed               | ID Prefix<br>Reg. #<br>LSC                                 | Correction Completed               | ID Prefix<br>Reg. #<br>LSC                         | Correction Completed               |
| ID Prefix<br>Reg. #<br>LSC                         | Correction Completed               | ID Prefix<br>Reg. #<br>LSC                                 | Correction Completed               | ID Prefix<br>Reg. #<br>LSC                         | Correction Completed               |
| ID Prefix<br>Reg. #<br>LSC                         | Correction Completed               | ID Prefix<br>Reg. #<br>LSC                                 | Correction Completed               | ID Prefix<br>Reg. #<br>LSC                         | Correction Completed               |
| ID Prefix<br>Reg. #<br>LSC                         | Correction Completed               | ID Prefix<br>Reg. #<br>LSC                                 | Correction Completed               | ID Prefix<br>Reg. #<br>LSC                         | Correction Completed               |

|                             |                    |                  |                                              |                  |
|-----------------------------|--------------------|------------------|----------------------------------------------|------------------|
| Reviewed By<br>State Agency | Reviewed By<br>TWR | Date:<br>3/14/13 | Signature of Surveyor:<br><i>[Signature]</i> | Date:<br>3/14/13 |
| Reviewed By<br>CMS RO       | Reviewed By        | Date:            | Signature of Surveyor:                       | Date:            |

Followup to Survey Completed on:

12/26/2012

Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO



RICK SCOTT  
GOVERNOR

*Better Health Care for all Floridians*

ELIZABETH DUDEK  
SECRETARY

March 14, 2013

Administrator  
South Oaks Assisted Living Home, LLC  
6141 SW 34th Street  
Miramar, FL 33023

**RE: CCR# 2012011572**

Dear Administrator:

This letter reports the findings of a state complaint survey revisit conducted on March 4, 2013 by a representative from this office. Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the representative. Should you have any questions please call this office at (561) 381-5840.

Sincerely,

  
Arlene Mayo-Davis  
Field Office Manager

AMD/dso  
Enclosure

J5XD

