

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11932687	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 02/04/2013
NAME OF PROVIDER OR SUPPLIER BOYNTON BEACH ASSISTED LIVING FACILITY			STREET ADDRESS, CITY, STATE, ZIP CODE 1708 N.E. 4TH STREET BOYNTON BEACH, FL 33435		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 000	Initial Comments CCR# 2013001231 Allegation was not confirmed for CI 2013001231. The Boynton Beach ALF is in compliance with the Requirements for Assisted Living Facilities, related to the allegation reviewed.	A 000			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

8850

EPO011

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

March 19, 2013

Administrator
Boynton Beach Assisted Living Facility
1708 N.E. 4th Street
Boynton Beach, FL 33435

Re: CCR #2013001231

Dear Administrator:

This letter reports the findings of a complaint survey completed on February 4, 2013 by a representative from this office.

Attached is the provider's copy of the Statement of Deficiencies and Plan of Correction, State (3020) Form, indicating no deficiencies were identified during this survey.

The *Quality Assurance Questionnaire* has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the representative. Should you have any questions, please contact this office at (561) 381-5840.

Sincerely,

Arlene Mayo - Davis
Field Office Manager

AMD/jw
Enclosure

7MRZ

