

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11942892	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 03/12/2013
NAME OF PROVIDER OR SUPPLIER SUNRISE VILLAGE			STREET ADDRESS, CITY, STATE, ZIP CODE 11722 NORTH 17TH STREET TAMPA, FL 33612		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 000	Initial Comments Assisted Living Facility A monitoring visit was conducted on 03/12/13. The Sunrise Village, assisted living facility, had no deficiencies found at the time of the visit.	A 000			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

0090

JBUF11

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

March 26, 2013

Administrator
Sunrise Village
11722 North 17th Street
Tampa, FL 33612


Dear Administrator:

This letter reports findings of a monitoring visit that was conducted on March 12, 2013, by a representative of this office. Attached is the provider's copy of the State (3020) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call **Paul Brown**, HFES, at (727) 552-2000.

Sincerely,


for Patricia Reid Cauffman
Field Office Manager

PRC/kpr

Enclosure: State Form 3020

