

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964952	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 03/26/2013
NAME OF PROVIDER OR SUPPLIER ARDEN COURTS MANORCARE HEALTH			STREET ADDRESS, CITY, STATE, ZIP CODE 5509 SWIFT ROAD SARASOTA, FL 34231		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 000	Initial Comments This is a Limited Nursing Service (LNS) survey conducted on 3/26/13 at Arden Courts Manorcare Health, an Assisted Living Facility. There were no deficiencies noted during this survey visit.	A 000			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

6899

SYK011

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

April 2, 2013

Administrator
Arden Courts Manorcare Health
5509 Swift Road
Sarasota, Florida 34231

Re: Limited Nursing Services survey

Dear Administrator:

This letter reports findings of a state licensure survey that was conducted on March 26, 2013 by representative(s) of this office. Attached is the provider's copy of the State (3020) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call this office at (239) 335-1315.

Sincerely,

Harold D. Williams
Field Office Manager

HW:ss
Enclosure: State (3020) Form

