

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11966015	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 03/27/2013
---	--	--	--

NAME OF PROVIDER OR SUPPLIER ADVANCE ALF CORP	STREET ADDRESS, CITY, STATE, ZIP CODE 14335 SW 288 STREET HOMESTEAD, FL 33033
---	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
--------------------------	--	---------------------	--	--------------------------

A 000 Initial Comments

A Limited Nursing Service Survey monitoring was conducted on 03/27/2013. Advance ALF Corp had no deficiencies found at the time of the survey.

A 000

AHCA Form 3020-0001

TITLE

(X8) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

0009

1ST111

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

April 15, 2013

Administrator
Advance Alf Corp
14335 Sw 288 Street
Homestead, FL 33033

Dear Administrator:

This letter reports findings of a state Limited Nursing Services (LNS) Monitoring survey that was conducted on March 27, 2013 by representative(s) of this office.

Attached is the provider's copy of the State (3020) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Kristal Branton, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

for Arlene Mayo-Davis
Field Office Manager

AMD:sy
Enclosure

65FO

