

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911081	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 04/17/2013
---	--	--	--

NAME OF PROVIDER OR SUPPLIER TWIN CITIES PAVILION	STREET ADDRESS, CITY, STATE, ZIP CODE 1053 JOHN SIMS PARKWAY NICEVILLE, FL 32578
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
--------------------------	--	---------------------	--	--------------------------

{A 000} Initial Comments

On 4/17/2013 an unannounced revisit to the biennial survey was conducted at Twin Cities Pavilion Assisted Living Facility. At the time of the revisit the citations were cleared.

{A 000}

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

0000

4CB112

If continuation sheet 1 of 1

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA /
Identification Number
AL11911081

(Y2) Multiple Construction
A. Building
B. Wing

(Y3) Date of Revisit
4/17/2013

Name of Facility

Street Address, City, State, Zip Code

TWIN CITIES PAVILION

1053 JOHN SIMS PARKWAY
NICEVILLE, FL 32578

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
	Correction Completed		Correction Completed		Correction Completed
ID Prefix A0030	04/17/2013	ID Prefix A0052	04/17/2013	ID Prefix A0055	04/17/2013
Reg. # 58A-5.0182(6) FAC: 429.28		Reg. # 58A-5.0185(3) FAC		Reg. # 58A-5.0185(6) FAC	
LSC		LSC		LSC	
	Correction Completed		Correction Completed		Correction Completed
ID Prefix		ID Prefix		ID Prefix	
Reg. #		Reg. #		Reg. #	
LSC		LSC		LSC	
	Correction Completed		Correction Completed		Correction Completed
ID Prefix		ID Prefix		ID Prefix	
Reg. #		Reg. #		Reg. #	
LSC		LSC		LSC	
	Correction Completed		Correction Completed		Correction Completed
ID Prefix		ID Prefix		ID Prefix	
Reg. #		Reg. #		Reg. #	
LSC		LSC		LSC	
	Correction Completed		Correction Completed		Correction Completed
ID Prefix		ID Prefix		ID Prefix	
Reg. #		Reg. #		Reg. #	
LSC		LSC		LSC	

Reviewed By
State Agency

Reviewed By

Date:

Signature of Surveyor:

Date:

Reviewed By
CMS RO

Reviewed By

Date:

Signature of Surveyor:

Date:

Followup to Survey Completed on:

2/12/2013

Check for any Uncorrected Deficiencies. Was a Summary of
Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

April 23, 2013

Administrator
Twin Cities Pavilion
1053 John Sims Parkway
Niceville, FL 32578

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on April 17, 2013 by a representative of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call me at 850-412-4540.

Sincerely,

for Patricia M. Lutz, enc
Donah Heiberg, M.S.W.
Field Office Manager

DH/pm
Enclosure

J5XD

