

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11922290	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 04/24/2013
NAME OF PROVIDER OR SUPPLIER CHATEAU PALMS INC			STREET ADDRESS, CITY, STATE, ZIP CODE 1679 TAMPA ROAD PALM HARBOR, FL 34683		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 000	Initial Comments Assisted Living Facility A complaint survey, CCR# 2013004349, was conducted on 04/24/13. The Chateau Palms Inc., assisted living facility, had no deficiencies found at the time of the visit.	A 000			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

0000

GRT211

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

May 3, 2013

Administrator
Chateau Palms Inc.
1679 Tampa Road
Palm Harbor, FL 34683

Re: CCR# 2013004349

Dear Administrator:

This letter reports the findings of a complaint survey completed on April 24, 2013, by a representative of this office.

Attached is the provider's copy of the State (3020) Form, indicating no deficiencies were identified during this survey.

The *Quality Assurance Questionnaire* has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions, please contact **Paul Brown**, HFES, at (727) 552-2000.

Sincerely,

Patricia Reid Cauffman
Field Office Manager

FOR

PRC/kpr

Enclosure: State Form 3020

