

RICK SCOTT
GOVERNOR



ELIZABETH DUDEK
SECRETARY

May 13, 2013

Administrator
Hidden Pines
1840 SW 31 Avenue
Ocala, FL 34478

Re: CCR #2013001958


Dear Administrator:

This letter reports the findings of a complaint survey completed on May 2, 2013 by a representative of this office. Enclosed is the provider's copy of the State (3020) Form, indicating no deficiencies were identified during this survey. **You will not receive a copy of this report in the mail; you will only receive this faxed copy.**

The *Quality Assurance Questionnaire* has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions, please contact this office at (386) 462-6201.

Sincerely,



Kriste J. Mennella
Field Office Manager

KJM/amw

Enclosure

7MRZ



Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11943018	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 05/02/2013
NAME OF PROVIDER OR SUPPLIER HIDDEN PINES		STREET ADDRESS, CITY, STATE, ZIP CODE 1840 SW 31 AVENUE OCALA, FL 34478		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	Initial Comments On May 2, 2013 an unannounced Compliance Survey CCR#2013001958 was conducted at Hidden Pines ALF located in Ocala, Florida. No discernible deficiencies were identified as a result of this survey. The facility was in compliance at this time as it pertains to this survey only.	A 000		

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

6899

6GDR11

If continuation sheet 1 of 1