

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965138	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 05/16/2013
NAME OF PROVIDER OR SUPPLIER ORLANDO MADISON HOUSE			STREET ADDRESS, CITY, STATE, ZIP CODE 8001 PIN OAK DRIVE ORLANDO, FL 32819		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 000	Initial Comments Complaint Inspection CCR #20130016893 was conducted on 5/16/13. The allegations were not substantiated Orlando Madison House Assisted Living Facility had no deficiencies found at the time of the visit.	A 000			

HCFA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

5509

30BX11

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

May 21, 2013

Administrator
Orlando Madison House
8001 Pin Oak Drive
Orlando, FL 32819

Re: CCR #2013001693

Dear Administrator:


This letter reports the findings of a complaint survey completed on May 16, 2013 by representative(s) of this office.

Attached is the provider's copy of the Statement of Deficiencies and Plan of Correction, Form CMS-2567, and State (3020) Form, indicating no deficiencies were identified during this survey.

The *Quality Assurance Questionnaire* has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions, please contact Lorraine Henry at (407) 420-2502.

Sincerely,


Theresa DeCanio, RN
Field Office Manager

LH/be
Enclosure

