

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964652	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 05/16/2013
NAME OF PROVIDER OR SUPPLIER GRANDAD ELDERLY CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 7520 SW 108 AVENUE MIAMI, FL 33173		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 000	Initial Comments An announced Initial Licensure survey of your Assisted Living Facility was conducted on May 16, 2013. No deficiencies were found at the time of the visit. The facility is recommended for Standard Licensure for the capacity of 6 beds.	A 000			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

0000

9G5611

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

May 24, 2013

Administrator
Grandad Elderly Corp
7520 Sw 108 Avenue
Miami, FL 33173

Dear Administrator:

This letter reports the findings of an initial Licensure survey conducted on May 16, 2013 by representative(s) of this office.

Attached is the provider's copy of the State (3020) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The *Quality Assurance Questionnaire* has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Kristal Branton, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

Arlene Mayo-Davis
Field Office Manager

AMD:sy
Enclosure

MP96

