

6/3/2013

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11967504	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 5/30/2013
Name of Facility GRAND MARY'S HOUSE	Street Address, City, State, Zip Code 4828 EVANSTON ROAD JACKSONVILLE, FL 32208	

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>A0030</u> Reg. # <u>58A-5.0182(6) FAC; 429.28</u> LSC _____	Correction Completed 05/31/2013	ID Prefix <u>A0076</u> Reg. # <u>58A-5.0186 FAC</u> LSC _____	Correction Completed 05/31/2013	ID Prefix <u>A0083</u> Reg. # <u>58A-5.0191(4) FAC</u> LSC _____	Correction Completed 05/31/2013
ID Prefix <u>A0085</u> Reg. # <u>58A-5.0191(6) FAC</u> LSC _____	Correction Completed 05/31/2013	ID Prefix <u>A0167</u> Reg. # <u>58A-5.025(1) FAC</u> LSC _____	Correction Completed 05/31/2013	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By _____	Reviewed By _____	Date: _____	Signature of Surveyor: <i>Joan Lynn for Revisit Work</i>	Date: <u>6/4/13</u>
State Agency _____				
Reviewed By _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____
CMS RO _____				
Followup to Survey Completed on: 4/9/2013		Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? YES NO		



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

June 4, 2013

Administrator
Grand Mary's House
4828 Evanston Road
Jacksonville, FL 32208

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on May 30, 2013 by a representative of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call this office at (904) 798-4201.

Sincerely,

Keisha Woods, MPH
Health Facility Evaluator Supervisor
Division of Health Quality Assurance

JPL/KW/sm

Enclosure

