


State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11966897	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 5/22/2013
---	--	-----------------------------------

Name of Facility MIRAMAR SENIOR LIVING IV	Street Address, City, State, Zip Code 14934 SW 32 TERRACE MIAMI, FL 33185
--	---

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix A0008 Reg. # 58A-5.0181(2) FAC LSC	Correction Completed 05/22/2013	ID Prefix A0010 Reg. # 58A-5.0181(4) FAC LSC	Correction Completed 05/22/2013	ID Prefix A0030 Reg. # 58A-5.0182(6) FAC: 429.28 LSC	Correction Completed 05/22/2013
ID Prefix A0052 Reg. # 58A-5.0185(3) FAC LSC	Correction Completed 05/22/2013	ID Prefix A0054 Reg. # 58A-5.0185(5) FAC LSC	Correction Completed 05/22/2013	ID Prefix A0055 Reg. # 58A-5.0185(6) FAC LSC	Correction Completed 05/22/2013
ID Prefix A0057 Reg. # 58A-5.0185(8) FAC LSC	Correction Completed 05/22/2013	ID Prefix A0079 Reg. # 58A-5.019(4) FAC LSC	Correction Completed 05/22/2013	ID Prefix A0092 Reg. # 58A-5.020(1) FAC LSC	Correction Completed 05/22/2013
ID Prefix A0093 Reg. # 58A-5.020(2) FAC LSC	Correction Completed 05/22/2013	ID Prefix A0152 Reg. # 58A-5.023(3) FAC LSC	Correction Completed 05/22/2013	ID Prefix A0162 Reg. # 58A-5.024(3) FAC LSC	Correction Completed 05/22/2013
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed

Reviewed By State Agency	Reviewed By	Date:	Signature of Surveyor: 	Date: 06/05/2013
Reviewed By CMS RO	Reviewed By	Date:	Signature of Surveyor:	Date:
Followup to Survey Completed on: 3/5/2013		Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? YES NO		



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

June 10, 2013

Administrator
Miramar Senior Living Iv
14934 Sw 32 Terrace
Miami, FL 33185

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on May 22, 2013 by representative(s) of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Kristal Branton, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

Kristal Branton
Arlene Mayo-Davis
Field Office Manager

AMD:sy
Enclosure

J5XD

