

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11967849	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/11/2013
NAME OF PROVIDER OR SUPPLIER JUST LIKE HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 5844 WINDERMERE DR JACKSONVILLE, FL 32211		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 000	Initial Comments A Limited Nursing Services survey was conducted on June 11, 20113. Just Like Home had no Licensure deficiencies found at the time of the visit.	A 000			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

0000

5LSK11

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

June 13, 2013

"Revised"

Administrator
Just Like Home
5844 Windermere Drive
Jacksonville, FL 32211

Dear Administrator:

This letter reports findings of a state licensure Limited Nursing Services survey that was conducted on June 11, 2013 by a representative of this office. Attached is the provider's copy of the State (3020) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call this office at (904) 798-4201.

Sincerely,


for

Keisha Woods, MPH
Health Facility Evaluator Supervisor
Division of Health Quality Assurance

LW/KW/sm
Enclosure

