

AGENCY FOR HEALTH CARE
ADMINISTRATION

PRINTED: 08/27/2013
FORM APPROVED

STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER IDENTIFICATION NUMBER: AL11965488	(X3) DATE SURVEY COMPLETED 07/25/2013
NAME OF PROVIDER OR SUPPLIER Parklake Senior Palace	STREET ADDRESS, CITY, STATE, ZIP CODE 4229 Sw 157 Court Miami, FL 33185	
SUMMARY STATEMENT OF DEFICIENCIES (FINDINGS PRECEDED BY TAG AND REGULATORY IDENTIFYING INFORMATION)		

Revisit Corrected Tags:

0055-Medication - Storage And Disposal-07/25/2013
0084-Training - Assis Self-Admin Meds & Med Mgmt-07/25/2013
0161-Records - Staff-07/25/2013

Specific Tag Findings:

0000-Initial Comments

A unannounced Follow up Survey to Limited Nursing Service monitoring was conducted on July 25, 2013. Parklake Senior Palace had no deficiencies found at the time of the survey.



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

August 28, 2013

Administrator
Parklake Senior Palace
4229 Sw 157 Court
Miami, FL 33185

Dear Administrator:

This letter reports the findings of a state Limited Nursing Services (LNS) Monitoring revisit survey conducted on July 25, 2013 by representative(s) of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Kristal Branton, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

Arlene Mayo-Davis
Field Office Manager

AMD:sy
Enclosure

DT9D

