

AGENCY FOR HEALTH CARE
ADMINISTRATION

PRINTED: 09/11/2013
FORM APPROVED

STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER IDENTIFICATION NUMBER: AL11968400	(X3) DATE SURVEY COMPLETED 08/29/2013
NAME OF PROVIDER OR SUPPLIER San Judas Home Care III Corp	STREET ADDRESS, CITY, STATE, ZIP CODE 251 Nw 108th Street Miami, FL 33168	
SUMMARY STATEMENT OF DEFICIENCIES (FINDINGS PRECEDED BY TAG AND REGULATORY IDENTIFYING INFORMATION)		

Revisit Corrected Tags:

0081-Training - Staff In-Service-08/29/2013
0160-Records - Facility-08/29/2013
0161-Records - Staff-08/29/2013
Z815-Background Screening; Prohibited Offenses-08/29/2013

Revisit Repeat Tags:

Revisit New Tags:

Specific Tag Findings:

0000-Initial Comments

A Complaint Investigation (CCR# 2013004943) follow up Survey was completed at San Judas Home Care II Corp on 08-29-13. All previous deficiencies were corrected at the time of survey.



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

September 16, 2013

Administrator
San Judas Home Care III Corp
251 Nw 108th Street
Miami, FL 33168

CCR#2013004943 f/u

Dear Administrator:

This letter reports the findings of a state complaint revisit survey conducted on August 29, 2013 by representative(s) of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Kristal Branton, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

Arlene Mayo-Davis
Field Office Manager

AMD:sy
Enclosure

DT9D

