

AGENCY FOR HEALTH CARE
ADMINISTRATION

PRINTED: 11/27/2013
FORM APPROVED

STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER IDENTIFICATION NUMBER: AL11910054	(X3) DATE SURVEY COMPLETED 11/18/2013
NAME OF PROVIDER OR SUPPLIER Sun Towers Retirement Community	STREET ADDRESS, CITY, STATE, ZIP CODE 101 Trinity Lakes Drive Sun City Center, FL 33573	
SUMMARY STATEMENT OF DEFICIENCIES (FINDINGS PRECEDED BY TAG AND REGULATORY IDENTIFYING INFORMATION)		

Specific Tag Findings:

0000-Initial Comments

Assisted Living Facility

An unannounced extended congregate care (ECC) monitoring visit was conducted on 11/18/13, in conjunction with a complaint survey, CCR# 2013009682.

The Sun Towers Retirement Community, assisted living facility, had no deficiencies at the time of the visit.



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

November 27, 2013

Administrator
Sun Towers Retirement Community
101 Trinity Lakes Drive
Sun City Center, FL 33573

Re: CCR# 2013009682 & ECC Monitoring Visit

Dear Administrator:

This letter reports the findings of a complaint survey and an extended congregate care (ECC) monitoring visit completed on November 18, 2013, by representative(s) of this office.

Attached are the provider's copies of the State (5000-3547) Forms, indicating no deficiencies were identified during these surveys.

The *Quality Assurance Questionnaire* has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions, please contact **Paul Brown**, HFES, at (727) 552-2000.

Sincerely,

for

Patricia Reid Cauffman
Field Office Manager

PRC/kpr

Enclosures: State (5000-3547) Forms

