



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

January 17, 2014

Administrator
Harborchase of Gainesville
1415 Fort Clarke Boulevard
Gainesville, FL 32606

Re: CCR #2013012037


Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on January 9, 2014 by a representative of this office. Enclosed is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call this office at (386) 462-6201.

Sincerely,


Kriste J. Mennella
Field Office Manager

KJM/amw

Enclosure



AGENCY FOR HEALTH CARE
ADMINISTRATION

PRINTED: 01/17/2014
FORM APPROVED

STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER IDENTIFICATION NUMBER: AL11965444	(X3) DATE SURVEY COMPLETED 01/09/2014
NAME OF PROVIDER OR SUPPLIER Harborchase Of Gainesville	STREET ADDRESS, CITY, STATE, ZIP CODE 1415 Fort Clarke Blvd Gainesville, FL 32606	
SUMMARY STATEMENT OF DEFICIENCIES (FINDINGS PRECEDED BY TAG AND REGULATORY IDENTIFYING INFORMATION)		

Revisit Corrected Tags:

0030-Resident Care - Rights & Facility Procedures-01/14/2014

0081-Training - Staff In-Service-01/14/2014

0000-Initial Comments

On 01/14/2014 an unannounced follow-up survey for CCR #2013012037 was conducted at Harborchase Assisted Living Facility in Gainesville, Florida. No discernible deficiencies were identified as a result of this survey. The facility was in compliance at this time.