

AGENCY FOR HEALTH CARE
ADMINISTRATION

PRINTED: 01/30/2014
FORM APPROVED

STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER IDENTIFICATION NUMBER: AL11966182	(X3) DATE SURVEY COMPLETED 12/17/2013
NAME OF PROVIDER OR SUPPLIER Casa Marisa li Alf Inc	STREET ADDRESS, CITY, STATE, ZIP CODE 2930 Sw 114 Avenue Miami, FL 33165	
SUMMARY STATEMENT OF DEFICIENCIES (FINDINGS PRECEDED BY TAG AND REGULATORY IDENTIFYING INFORMATION)		

Revisit Corrected Tags:

0078-Staffing Standards - Staff-12/17/2013
0079-Staffing Standards - Levels-12/17/2013
0081-Training - Staff In-Service-12/17/2013

Revisit Repeat Tags:

Revisit New Tags:

Specific Tag Findings:

0000-Initial Comments

An unannounced follow-up to a Change of Ownership (CHOW) survey was conducted on December 17, 2013.
Casa Marissa II ALF Inc had no deficiencies identified at the time of the survey.



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

January 31, 2014

Administrator
Casa Marisa II Alf Inc
2930 Sw 114 Avenue
Miami, FL 33165

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on December 17, 2013 by representative(s) of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Kristal Branton, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

Arlene Mayo-Davis
Field Office Manager

AMD:sy
Enclosure

DT9D

