

AGENCY FOR HEALTH CARE
ADMINISTRATION

PRINTED: 04/08/2014
FORM APPROVED

STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER IDENTIFICATION NUMBER: AL11964825	(X3) DATE SURVEY COMPLETED 04/03/2014
NAME OF PROVIDER OR SUPPLIER Sunset Lake Village	STREET ADDRESS, CITY, STATE, ZIP CODE 1121 Jacaranda Blvd Venice, FL 34292	
SUMMARY STATEMENT OF DEFICIENCIES (FINDINGS PRECEDED BY TAG AND REGULATORY IDENTIFYING INFORMATION)		

Revisit Corrected Tags:

0027-Resident Care - Arrangement For Health Care-04/03/2014

An unannounced Follow Up visit was conducted on 04/3/14 at Sunset Lakes Village, an Assisted Living Facility located in Venice, Florida.

All previous citations have been substantially improved or corrected.

No deficiencies were cited relevant to the survey during this visit.



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

April 8, 2014

Administrator
Sunset Lake Village
1121 Jacaranda Blvd
Venice, FL 34292

Dear Administrator:

This letter reports the findings of a complaint survey revisit conducted on April 3, 2014 by representative(s) of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call this office at (239) 335-1315.

Sincerely,

Harold D. Williams
Field Office Manager

HW: ar
Enclosure State form

DT9D

