

AGENCY FOR HEALTH CARE
ADMINISTRATION

PRINTED: 05/07/2014
FORM APPROVED

STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER IDENTIFICATION NUMBER: AL11964216	(X3) DATE SURVEY COMPLETED 04/29/2014
NAME OF PROVIDER OR SUPPLIER Sarah House li (the)	STREET ADDRESS, CITY, STATE, ZIP CODE 1724 Valencia Avenue Ormond Beach, FL 32174	
SUMMARY STATEMENT OF DEFICIENCIES (FINDINGS PRECEDED BY TAG AND REGULATORY IDENTIFYING INFORMATION)		

Revisit Corrected Tags:

0025-Resident Care - Supervision-04/29/2014
 0052-Medication - Assistance With Self-Admin-04/29/2014
 0056-Medication - Labeling And Orders-04/29/2014
 0081-Training - Staff In-Service-04/29/2014
 0082-Training - Hiv/aids-04/29/2014
 0083-Training - First Aid And Cpr-04/29/2014
 0084-Training - Assis Self-Admin Meds & Med Mgmt-04/29/2014
 0090-Training - Do Not Resuscitate Orders-04/29/2014



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

May 7, 2014

Administrator
The Sarah House II
1724 Valencia Avenue
Ormond Beach, FL 32174

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on April 29, 2014 by a representative of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call this office at (904) 798-4201.

Sincerely,

Jana Meyering, QIDP
Health Facility Evaluator Supervisor
Division of Health Quality Assurance

LW/JM/sm
Enclosure

