

AGENCY FOR HEALTH CARE
ADMINISTRATION

PRINTED: 05/14/2014
FORM APPROVED

STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER IDENTIFICATION NUMBER: AL11968031	(X3) DATE SURVEY COMPLETED 05/06/2014
NAME OF PROVIDER OR SUPPLIER Villa Rose Assisted Living Inc	STREET ADDRESS, CITY, STATE, ZIP CODE 4231 Sw 58th Ave Miami, FL 33155	
SUMMARY STATEMENT OF DEFICIENCIES (FINDINGS PRECEDED BY TAG AND REGULATORY IDENTIFYING INFORMATION)		

List of Tags Cited:

St - A - 0000 - - Initial Comments

Specific Tag Findings:

0000-Initial Comments

An unannounced Limited Nursing Services Monitoring Survey was conducted at Villa Rose Assisted Living Facility on May 6th, 2014. No deficiencies were found under the Limited Nursing Services component at time of survey.



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

May 14, 2014

Administrator
Villa Rose Assisted Living Inc
4231 Sw 58th Ave
Miami, FL 33155

Dear Administrator:


This letter reports findings of a state Limited Nursing Services (LNS) monitoring survey that was conducted on May 6, 2014 by representative(s) of this office.

Attached is the provider's copy of the State (5000-3547) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Kristal Branton, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,


Arlene Mayo-Davis
Field Office Manager

AMD:sy
Enclosure

1GGN

