



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

May 13, 2014

Administrator
Chambrel at Pinecastle
1801 SE 24th Road
Ocala, FL 34471

Re: CCR #2014001882

Dear Administrator:

This letter reports the findings of a complaint survey completed on April 28, 2014 by a representative of this office. Enclosed is the provider's copy of the Statement of Deficiencies, State (5000-3547) Form, indicating no deficiencies were identified during this survey. **You will not receive a copy of this report in the mail; you will only receive this faxed copy.**

The *Quality Assurance Questionnaire* has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions, please contact this office at (386) 462-6201.

Sincerely,

Kristie J. Mennella
Field Office Manager

KJM/amw

Enclosure



Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11910267	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 04/28/2014
NAME OF PROVIDER OR SUPPLIER CHAMBREL AT PINECASTLE		STREET ADDRESS, CITY, STATE, ZIP CODE 1801 SE 24TH ROAD OCALA, FL 34471		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	Initial Comments On 04/28/2014, an unannounced complaint survey, CCR #2014001882, was conducted at Chambrel at Pinecastle Assisted Living Facility in Ocala, Florida. No discernible deficiencies were identified as a result of this survey. The facility was in compliance at this time.	A 000		

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE