



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

July 14, 2014

Administrator
Terrace At Ivey Acres ALF
3964 Florida Ave
Jay, FL 32565

RE: Initial LNS survey


Dear Administrator:

This letter reports the findings of an initial LNS Licensure survey conducted on July 10, 2014 by representative(s) of this office. Attached is the provider's copy of the State (5000-3547) Form, which indicates there were no discernible deficiencies noted on the date of the survey. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The *Quality Assurance Questionnaire* has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call me at 850-412-4540.

Sincerely,


Donah Helberg
Field Office Manager

DH/dh
Enclosure

341J



Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968119	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 07/10/2014
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

TERRACE AT IVEY ACRES AL

**3964 FLORIDA AVE
JAY, FL 32565**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	Initial Comments An unannounced initial Limited Nursing Services (LNS) survey was conducted on 7/11/2014. The Terrace at Ivey Acres had no deficiencies at the time of the visit.	A 000		

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE