

STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER IDENTIFICATION NUMBER: AL11966794	(X3) DATE SURVEY COMPLETED 07/01/2014
NAME OF PROVIDER OR SUPPLIER Serenity Place Alf	STREET ADDRESS, CITY, STATE, ZIP CODE 490 Brighton Ave Ne Palm Bay, FL 32907	
SUMMARY STATEMENT OF DEFICIENCIES (FINDINGS PRECEDED BY TAG AND REGULATORY IDENTIFYING INFORMATION)		

Specific Tag Findings:

0000-Initial Comments

Complaint inspection CCR#2014002910 was conducted in conjunction with 2014002960 on 7/1/14. Serenity Place had no deficiencies found at the time of the visit relating CCR#2014002910.



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

July 31, 2014

Administrator
Serenity Place Alf
490 Brighton Ave Ne
Palm Bay, FL 32907

RE: CCR #2014002910

Dear Administrator:


This letter reports the findings of a complaint survey completed on July 1, 2014 by representative(s) of this office.

Attached is the provider's copy of the Statement of Deficiencies, State (5000-3547) Form, indicating no deficiencies were identified during this survey.

The *Quality Assurance Questionnaire* has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions, please contact Lorraine Henry at (407) 420-2502.

Sincerely,


Theresa DeCanio, RN
Field Office Manager

LH/be
Enclosure

Orlando Field Office
400 W. Robinson St., Suite S-309
Orlando, FL 32801
Phone: (407) 420-2502; Fax: (407) 245-0998
AHCA.MyFlorida.com



Facebook.com/AHCAFlorida
Youtube.com/AHCAFlorida
Twitter.com/AHCA_FL
SlideShare.net/AHCAFlorida