



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

December 5, 2014

Administrator
Cedar Creek
231 NW Highway 19
Crystal River, FL 34428

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on November 24, 2014 by a representative of this office.

Enclosed is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call this office at (386) 462-6201.

Sincerely,

Kriste J. Mennella
Field Office Manager

KJM/amw
Enclosure



STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER IDENTIFICATION NUMBER: AL11965899	(X3) DATE SURVEY COMPLETED 11/24/2014
NAME OF PROVIDER OR SUPPLIER Cedar Creek	STREET ADDRESS, CITY, STATE, ZIP CODE 231 Nw Highway 19 Crystal River, FL 34428	
SUMMARY STATEMENT OF DEFICIENCIES (FINDINGS PRECEDED BY TAG AND REGULATORY IDENTIFYING INFORMATION)		

Revisit Corrected Tags:

0055-Medication - Storage And Disposal-11/24/2014
 0056-Medication - Labeling And Orders-11/24/2014
 0081-Training - Staff In-Service-11/24/2014
 0090-Training - Do Not Resuscitate Orders-11/24/2014

0000-Initial Comments

A follow-up to a biennial licensure survey was completed on November 24, 2014 at Cedar Creek, an Assisted Living Facility in Crystal River, FL. The facility had no deficient practice at the time of the survey. Previously cited deficiencies were cleared.