

STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER IDENTIFICATION NUMBER: AL11968017	(X3) DATE SURVEY COMPLETED 12/11/2014
NAME OF PROVIDER OR SUPPLIER Peace And Care Of Miami Lakes	STREET ADDRESS, CITY, STATE, ZIP CODE 15301 Durnford Drive Miami Lakes, FL 33014	
SUMMARY STATEMENT OF DEFICIENCIES (FINDINGS PRECEDED BY TAG AND REGULATORY IDENTIFYING INFORMATION)		

Revisit Corrected Tags:

0078-Staffing Standards - Staff-12/11/2014
0080-Training - Core & Competency Test-12/11/2014
0081-Training - Staff In-Service-12/11/2014
0085-Training - Nutrition & Food Service-12/11/2014
L243-Lmh - Training-12/11/2014

Specific Tag Findings:

0000-Initial Comments

A Standard Biennial Survey revisit was conducted on 12/11/14. Peace and Care Of Miami Lakes had no deficiencies found at the time of the survey.



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

December 17, 2014

Administrator
Peace And Care Of Miami Lakes
15301 Durnford Drive
Miami Lakes, FL 33014

Dear Administrator:


This letter reports the findings of a Standard Biennial licensure survey revisit conducted on December 11, 2014 by representative(s) of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Verlande Exil, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,


Arlene Mayo-Davis, RN
Field Office Manager

AMD:ve
Enclosure

DT9D

