



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

February 18, 2015

Administrator
Ann's House-Oakwood
4407 Millwood Road
Spring Hill, FL 34608

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on February 13, 2015 by a representative of this office.

Enclosed is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call this office at (386) 462-6201.

Sincerely,



Kriste J. Mennella
Field Office Manager

KJM/amw
Enclosure



STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER IDENTIFICATION NUMBER: AL11967186	(X3) DATE SURVEY COMPLETED 02/13/2015
NAME OF PROVIDER OR SUPPLIER Ann's House-Oakwood	STREET ADDRESS, CITY, STATE, ZIP CODE 4407 Millwood Road Spring Hill, FL 34608	
SUMMARY STATEMENT OF DEFICIENCIES (FINDINGS PRECEDED BY TAG AND REGULATORY IDENTIFYING INFORMATION)		

Revisit Corrected Tags:

0008-Admissions - Health Assessment-02/13/2015
 0025-Resident Care - Supervision-02/13/2015
 0030-Resident Care - Rights & Facility Procedures-02/13/2015
 0093-Food Service - Dietary Standards-02/13/2015
 0162-Records - Resident-02/13/2015

0000-Initial Comments

An unannounced revisit to the biennial licensure survey, initial LMH and capacity increase was conducted on February 13, 2015 at Anns House Oakwood. All deficiencies previously identified were found to have been corrected as of this survey. The facility was found in compliance with the requirements of Florida Statutes Chapter 429, Part I and Florida Administrative Code, Chapter 58A-5.