


State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11964655	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 3/2/2015
---	--	----------------------------------

Name of Facility FREMONT MANOR	Street Address, City, State, Zip Code 909 FREMONT AVENUE WINTER PARK, FL 32789
-----------------------------------	--

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix A0010 Reg. # 58A-5.0181(4) FAC LSC	Correction Completed 03/02/2015	ID Prefix A0025 Reg. # 58A-5.0182(1) FAC LSC	Correction Completed 03/02/2015	ID Prefix A0030 Reg. # 58A-5.0182(6) FAC: 429.28 LSC	Correction Completed 03/02/2015
ID Prefix A0055 Reg. # 58A-5.0185(6) FAC LSC	Correction Completed 03/02/2015	ID Prefix A0079 Reg. # 58A-5.019(3) FAC LSC	Correction Completed 03/02/2015	ID Prefix A0084 Reg. # 58A-5.0191(6) FAC LSC	Correction Completed 03/02/2015
ID Prefix AL243 Reg. # 58A-5.0191(8) FAC LSC	Correction Completed 03/02/2015	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed

Reviewed By _____	Reviewed By _____	Date: _____	Signature of Surveyor 	Date: 4/10/15
State Agency _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____
Reviewed By _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____
CMS RO _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____

Followup to Survey Completed on:
12/15/2014

Check for any Uncorrected Deficiencies. Was a Summary of
Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO



RICK SCOTT
GOVERNOR
ELIZABETH DUDEK
SECRETARY

April 1, 2015

Administrator
Fremont Manor
909 Fremont Avenue
Winter Park, FL 32789

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on March 2, 2015 by representative(s) of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Lorraine Henry at (407) 420-2502.

Sincerely,

Theresa DeCanio, RN
Field Office Manager

TDC:clr
Enclosure

Orlando Field Office
400 W. Robinson St., Suite S-309
Orlando, FL 32801
Phone:(407) 420-2502; Fax:(407) 245-0998
AHCA.MyFlorida.com



Facebook.com/AHCAFlorida
Youtube.com/AHCAFlorida
Twitter.com/AHCA_FL
SlideShare.net/AHCAFlorida