

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11965970	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 3/31/2015
--	---	--

Name of Facility SHADY OAKS REST HOME	Street Address, City, State, Zip Code 1208 KENNEDY RD DAYTONA BEACH, FL 32117
---	--

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>A0030</u> Reg. # <u>58A-5.0182(6) FAC; 429.28</u> LSC _____ Correction Completed 03/31/2015		ID Prefix <u>A0160</u> Reg. # <u>58A-5.024(1) FAC</u> LSC _____ Correction Completed 03/31/2015		ID Prefix _____ Reg. # _____ LSC _____ Correction Completed	
ID Prefix _____ Reg. # _____ LSC _____ Correction Completed		ID Prefix _____ Reg. # _____ LSC _____ Correction Completed		ID Prefix _____ Reg. # _____ LSC _____ Correction Completed	
ID Prefix _____ Reg. # _____ LSC _____ Correction Completed		ID Prefix _____ Reg. # _____ LSC _____ Correction Completed		ID Prefix _____ Reg. # _____ LSC _____ Correction Completed	
ID Prefix _____ Reg. # _____ LSC _____ Correction Completed		ID Prefix _____ Reg. # _____ LSC _____ Correction Completed		ID Prefix _____ Reg. # _____ LSC _____ Correction Completed	
ID Prefix _____ Reg. # _____ LSC _____ Correction Completed		ID Prefix _____ Reg. # _____ LSC _____ Correction Completed		ID Prefix _____ Reg. # _____ LSC _____ Correction Completed	

Reviewed By _____	Reviewed By _____	Date: _____	Signature of Surveyor: 	Date: <u>4/9/15</u>
State Agency		Date: _____	Signature of Surveyor:	Date: _____
Reviewed By _____	Reviewed By _____			
CMS RO				

Followup to Survey Completed on: 12/15/2014	Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? YES NO
--	--



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

April 9, 2015

Administrator
Shady Oaks Rest Home
1208 Kennedy Rd
Daytona Beach, FL 32117

Re: CCR #2014010313

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on March 31, 2015 by a representative of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call this office at (904) 798-4201.

Sincerely,

Jana Meyering, QIDP
Health Facility Evaluator Supervisor
Division of Health Quality Assurance

LW/JM/sm
Enclosure

Jacksonville Field Office
921 N. Davis St., Bldg. A, Suite 115
Jacksonville, FL 32209
Phone: (904) 798-4201; Fax: (904) 359-6054
AHCA.MyFlorida.com



Facebook.com/AHCAFlorida
Youtube.com/AHCAFlorida
Twitter.com/AHCA_FL
SlideShare.net/AHCAFlorida