



State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11967189	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 4/16/2015
Name of Facility PRINCETON VILLAGE OF PALM COAST		Street Address, City, State, Zip Code 100 MAGNOLIA TRACEWAY PALM COAST, FL 32164

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>A0008</u> Reg. # <u>429.26(4-6) FS; 58A-5.0181</u> LSC _____	Correction Completed 04/16/2015	ID Prefix <u>A0030</u> Reg. # <u>58A-5.0182(6) FAC; 429.28</u> LSC _____	Correction Completed 04/16/2015	ID Prefix <u>A0081</u> Reg. # <u>58A-5.0191(2) FAC</u> LSC _____	Correction Completed 04/16/2015
ID Prefix <u>A0161</u> Reg. # <u>429.275(2) FS; 58A-5.024(2)</u> LSC _____	Correction Completed 04/16/2015	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By _____ State Agency	Reviewed By _____	Date: _____	Signature of Surveyor: 	Date: <u>4/20/15</u>
Reviewed By _____ CMS RO	Reviewed By _____	Date: _____	Signature of Surveyor: 	Date: _____
Followup to Survey Completed on: 3/3/2015		Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? YES NO		



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

April 20, 2015

Administrator
Princeton Village Of Palm Coast
100 Magnolia Traceway
Palm Coast, FL 32164

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on April 16, 2015 by a representative of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call this office at (904) 798-4201.

Sincerely,

Jana Meyering, QIDP
Health Facility Evaluator Supervisor
Division of Health Quality Assurance

JM/sm
Enclosure

