

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11943041	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 04/29/2015
Name of Facility BAYTREE LAKESIDE	Street Address, City, State, Zip Code 6411 46TH AVENUE NORTH SAINT PETERSBURG, FL 33709	

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>A0053</u> Reg. # <u>58A-5.0185(4) FAC</u> LSC _____	Correction Completed 04/29/2015	ID Prefix <u>A0054</u> Reg. # <u>58A-5.0185(5) FAC</u> LSC _____	Correction Completed 04/29/2015	ID Prefix <u>A0055</u> Reg. # <u>58A-5.0185(6) FAC</u> LSC _____	Correction Completed 04/29/2015
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
Reviewed By State Agency	Reviewed By 	Date: 5/8/15	Signature of Surveyor:	Date:	
Reviewed By CMS RO	Reviewed By	Date:	Signature of Surveyor:		

Followup to Survey Completed on:
02/12/2015

Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? YES NO

E R 5512



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

May 8, 2015

Administrator
Baytree Lakeside
6411 46th Avenue North
Saint Petersburg, FL 33709

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on April 29, 2015 by representative(s) of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call **Paul Brown**, HFES at (727) 552-2000.

Sincerely,

Patricia Reid Kaufman
Field Office Manager

PRC/cit
Enclosure

St. Petersburg Field Office
525 Mirror Lake Drive North, Suite 410 A
St. Petersburg, FL 33701
Phone: (727) 552-2000; Fax: (727) 552-1162
AHCA.MyFlorida.com



Facebook.com/AHCAFlorida
Youtube.com/AHCAFlorida
Twitter.com/AHCA_FL
SlideShare.net/AHCAFlorida