

State Form: Revisit Report

(Y1) **Provider / Supplier / CLIA / Identification Number**
AL11932440

(Y2) **Multiple Construction**
A. Building
B. Wing

(Y3) **Date of Revisit**
5/4/2015

Name of Facility

ST MARK'S VILLA

Street Address, City, State, Zip Code

3381 NW 194 TERRACE
MIAMI, FL 33056

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix A0032 Reg. # 58A-5.0182(8) FAC LSC	Correction Completed 05/04/2015	ID Prefix A0081 Reg. # 58A-5.0191(2) FAC LSC	Correction Completed 05/04/2015	ID Prefix A0084 Reg. # 58A-5.0191(5) FAC LSC	Correction Completed 05/04/2015
ID Prefix A0090 Reg. # 58A-5.0191(11) FAC LSC	Correction Completed 05/04/2015	ID Prefix A0093 Reg. # 58A-5.020(2) FAC LSC	Correction Completed 05/04/2015	ID Prefix A0161 Reg. # 429.275(2) FS: 58A-5.024(2) LSC	Correction Completed 05/04/2015
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed

Reviewed By
State Agency
Reviewed By
CMS RO

Reviewed By

Reviewed By

Date:
5/18/15
Date:

Signature of Surveyor:

Signature of Surveyor:

Date:

Date:

Followup to Survey Completed on:
3/10/2015

Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

May 18, 2015

Administrator
St Mark's Villa
3381 Nw 194 Terrace
Miami, FL 33056

Dear Administrator:

This letter reports the findings of a Standard Biennial licensure survey revisit conducted on May 4, 2015 by representative(s) of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Verlande Exil, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

Arlene Mayo-Davis, RN
Field Office Manager

AMD:ve
Enclosure

DT90

