

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11968535	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 5/21/2015
Name of Facility ARBOR TERRACE ORTEGA		Street Address, City, State, Zip Code 5760 TIMUQUANA RD JACKSONVILLE, FL 32210

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix A0053 Reg. # 58A-5.0185(4) FAC LSC	Correction Completed 05/21/2015	ID Prefix A0055 Reg. # 58A-5.0185(6) FAC LSC	Correction Completed 05/21/2015	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed

Reviewed By _____	Reviewed By _____	Date: _____	Signature of Surveyor: <i>Sanameiyug</i>	Date: 5/29/15
State Agency _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____
Reviewed By _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____
CMS RO				

Followup to Survey Completed on:

3/31/2015

Check for any Uncorrected Deficiencies. Was a Summary of
Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO



RICK SCOTT
GOVERNOR
ELIZABETH DUDEK
SECRETARY

May 28, 2015

Administrator
Arbor Terrace Ortega
5760 Timuquana Road
Jacksonville, FL 32210

Re: CCR #2015001525

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on May 21, 2015 by a representative of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call this office at (904) 798-4201.

Sincerely,

Jana Meyering, QIDP
Health Facility Evaluator Supervisor
Division of Health Quality Assurance

GJJM/sm
Enclosure

Jacksonville Field Office
921 N. Davis St., Bldg. A, Suite 115
Jacksonville, FL 32209
Phone: (904) 798-4201; Fax: (904) 359-6054
AHCA.MyFlorida.com



Facebook.com/AHCAFlorida
Youtube.com/AHCAFlorida
Twitter.com/AHCA_FL
SlideShare.net/AHCAFlorida