

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11965988	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 5/6/2015
Name of Facility FREIRE & SOTOMAYOR ALF, INC	Street Address, City, State, Zip Code 2303 SW 62 COURT MIAMI, FL 33155	

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix A0078	Correction Completed 07/07/2015	ID Prefix A0080	Correction Completed 07/07/2015	ID Prefix A0081	Correction Completed 07/07/2015
Reg. # 58A-5.019(2) FAC LSC		Reg. # 429.52(1-2) FS: 58A-5.0191 LSC		Reg. # 58A-5.0191(2) FAC LSC	
ID Prefix A0083	Correction Completed 07/07/2015	ID Prefix A0084	Correction Completed 07/07/2015	ID Prefix	Correction Completed
Reg. # 58A-5.0191(4) FAC LSC		Reg. # 58A-5.0191(5) FAC LSC		Reg. # LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. # LSC		Reg. # LSC		Reg. # LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. # LSC		Reg. # LSC		Reg. # LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. # LSC		Reg. # LSC		Reg. # LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. # LSC		Reg. # LSC		Reg. # LSC	

Reviewed By	Reviewed By	Date:	Signature of Surveyor:	Date:
State Agency		07/07/15		
Reviewed By	Reviewed By	Date:	Signature of Surveyor:	Date:
CMS RO				

Followup to Survey Completed on:

3/18/2015

Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

July 7, 2015

Administrator
Freire & Sotomayor Alf, Inc
2303 Sw 62 Court
Miami, FL 33155

Dear Administrator:

This letter reports the findings of a Standard Biennial Survey Revisit Desk Review conducted on May 6, 2015 by representative(s) of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Kristal Branton, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,


Arlene Mayo-Davis, RN
Field Office Manager

AMD:kb
Enclosure

DT9D

