

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA /
Identification Number
AL11942934

(Y2) Multiple Construction
A. Building
B. Wing

(Y3) Date of Revisit
7/10/2015

Name of Facility

GRAND COURT ALF

Street Address, City, State, Zip Code

295 SW 4TH AVENUE
POMPAÑO BEACH, FL 33060

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
	Correction Completed 08/05/2015		Correction Completed 08/05/2015		Correction Completed 08/05/2015
ID Prefix A0010		ID Prefix A0052		ID Prefix A0053	
Reg. # 429.26(1&3) FS: 58A-5.018 LSC		Reg. # 58A-5.0185(3) FAC LSC		Reg. # 58A-5.0185(4) FAC LSC	
	Correction Completed 08/05/2015		Correction Completed 08/05/2015		Correction Completed 08/05/2015
ID Prefix A0054		ID Prefix A0055		ID Prefix A0056	
Reg. # 58A-5.0185(5) FAC LSC		Reg. # 58A-5.0185(6) FAC LSC		Reg. # 58A-5.0185(7) FAC LSC	
	Correction Completed 08/05/2015		Correction Completed 08/05/2015		Correction Completed 08/05/2015
ID Prefix A0078		ID Prefix A0093		ID Prefix A0152	
Reg. # 58A-5.019(2) FAC LSC		Reg. # 58A-5.020(2) FAC LSC		Reg. # 58A-5.023(3) FAC LSC	
	Correction Completed		Correction Completed		Correction Completed
ID Prefix		ID Prefix		ID Prefix	
Reg. #		Reg. #		Reg. #	
LSC		LSC		LSC	
	Correction Completed		Correction Completed		Correction Completed
ID Prefix		ID Prefix		ID Prefix	
Reg. #		Reg. #		Reg. #	
LSC		LSC		LSC	

Reviewed By *me*
State Agency
Reviewed By
CMS RO

Reviewed By *me*
Reviewed By

Date: 8/10/15
Date:

Signature of Surveyor: *[Signature]*
Signature of Surveyor:

Date: 8/10/15
Date:

Followup to Survey Completed on:

4/21/2015

Check for any Uncorrected Deficiencies. Was a Summary of
Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

August 10, 2015

Administrator
Grand Court ALF
295 SW 4th Avenue
Pompano Beach, FL 33060

RE: CCR #2015004434

Dear Administrator:

This letter reports the findings of a state licensure complaint survey revisit conducted on July 10, 2015 by a representative of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the representative. Should you have any questions please call this office at (561) 381-5840.

Sincerely,


Arlene Mayo-Davis
Field Office Manager

AMD
Enclosure

DT9D

