


8/24/2015

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11932424	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 08/20/2015
Name of Facility CENTRAL ALF		Street Address, City, State, Zip Code 2349 CENTRAL AVENUE SAINT PETERSBURG, FL 33713

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>A0008</u> Reg. # <u>429.26(4-6) FS; 58A-5.0181(2)</u> LSC	Correction Completed 08/20/2015	ID Prefix <u>A0079</u> Reg. # <u>58A-5.019(3) FAC</u> LSC	Correction Completed 08/20/2015	ID Prefix <u>A0093</u> Reg. # <u>58A-5.020(2) FAC</u> LSC	Correction Completed 08/20/2015
ID Prefix _____ Reg. # _____ LSC	Correction Completed	ID Prefix _____ Reg. # _____ LSC	Correction Completed	ID Prefix _____ Reg. # _____ LSC	Correction Completed
ID Prefix _____ Reg. # _____ LSC	Correction Completed	ID Prefix _____ Reg. # _____ LSC	Correction Completed	ID Prefix _____ Reg. # _____ LSC	Correction Completed
ID Prefix _____ Reg. # _____ LSC	Correction Completed	ID Prefix _____ Reg. # _____ LSC	Correction Completed	ID Prefix _____ Reg. # _____ LSC	Correction Completed
ID Prefix _____ Reg. # _____ LSC	Correction Completed	ID Prefix _____ Reg. # _____ LSC	Correction Completed	ID Prefix _____ Reg. # _____ LSC	Correction Completed
ID Prefix _____ Reg. # _____ LSC	Correction Completed	ID Prefix _____ Reg. # _____ LSC	Correction Completed	ID Prefix _____ Reg. # _____ LSC	Correction Completed
Reviewed By _____ State Agency	Reviewed By  Date: <u>8/28/15</u>	Signature of Surveyor: _____ Date: _____	Date: _____		
Reviewed By _____ CMS RO	Reviewed By _____ Date: _____	Signature of Surveyor: _____ Date: _____	Date: _____		
Followup to Survey Completed on: 07/06/2015		Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? YES NO			



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

August 28, 2015

Administrator
Central ALF
2349 Central Avenue
Saint Petersburg, FL 33713

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on August 20, 2015 by representative(s) of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Paul Brown, HFES at (727) 552-2000.

Sincerely,

For

Patricia Reid Cauffman
Field Office Manager

PRC/clt
Enclosure

St. Petersburg Field Office
525 Mirror Lake Drive North, Suite 410 A
St. Petersburg, FL 33701
Phone:(727) 552-2000; Fax:(727) 552-1162
AHCA.MyFlorida.com



Facebook.com/AHCAFlorida
Youtube.com/AHCAFlorida
Twitter.com/AHCA_FL
SlideShare.net/AHCAFlorida