

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11967048	(Y2) Multiple Construction A. Building _____ B. Wing _____	(Y3) Date of Revisit 9/29/2015
--	---	--

Name of Facility TYVAL ASSISTED LIVING FACILITY	Street Address, City, State, Zip Code 3526 GENEVRA AVE BOYNTON BEACH, FL 33436
---	---

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>A0081</u>	Correction Completed 09/29/2015	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # <u>58A-5.0191(2) FAC</u>		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	

Reviewed By State Agency <u>WJ Smith</u>	Reviewed By CMS RO _____	Date: <u>09/29/15</u>	Signature of Surveyor: <u>WJ Smith</u>
Followup to Survey Completed on: 8/24/2015		Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? YES NO	



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

September 30, 2015

Administrator
Tyval Assisted Living Facility
3526 Geneva Ave
Boynton Beach, FL 33436

Dear Administrator:

This letter reports the findings of a state licensure desk review revisit conducted on September 29, 2015 by a representative of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the representative. Should you have any questions please call this office at (561) 381-5840.

Sincerely,


Arlene Mayo-Davis
Field Office Manager

AMD/dmb

DT9D

