

**AGENCY FOR HEALTH CARE
ADMINISTRATION**

**PRINTED: 10/01/2015
FORM APPROVED**

STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965488	(X3) DATE SURVEY COMPLETED 09/22/2015
NAME OF PROVIDER OR SUPPLIER PARKLAKE SENIOR PALACE	STREET ADDRESS, CITY, STATE, ZIP CODE 4229 SW 157 COURT MIAMI, FL 33185	

**SUMMARY STATEMENT OF DEFICIENCIES
(FINDINGS PRECEDED BY TAGS AND REGULATORY IDENTIFYING INFORMATION)**

0000 Initial Comments

An Abbreviated Biennial Survey was conducted on / . Parklake Senior Palace with a standard license had the following deficiency found at the time of the survey:

0077 Staffing Standards - Administrators

Based on record review and interview facility failed to appoint a separate Manager for each facility.

Findings included:

On at 9:40 AM record review revealed that the facility did not have an appointed Manager. The facility's Administrator supervised two assisted living facilities.

On at 12:00 PM interview with Staff B, caregiver, stated that she will inform the Administrator about the finding because she had to go out of the state for an emergency trip.

Class III



RICK SCOTT
GOVERNOR

ELIZABETH DUKE
SECRETARY

....., 2015

Administrator
Parklake Senior Palace
4229 Sw 157 Court
Miami, FL 33185

Dear Administrator:

This letter reports the findings of an Abbreviated Biennial licensure survey that was conducted on, 2015 by representative(s) of this office.

Attached is the provider's copy of the State (5000-3547) Form, which indicates the deficiencies that were identified on the day of the visit. Section 408.811(4), Florida Statutes, requires that you correct these deficiencies within thirty days of the date of this letter unless the Agency has approved another timeframe. **Please attach a summary of your corrective action for each deficiency, including completion dates, on your letterhead. Also include any additional documentation to support correction of identified deficiencies. Submit summary and documents to the Field Office no later than, 2015.** Staff from this office will conduct a review of the provided corrective action and supporting documentation to verify that the necessary corrections are in place to correct the deficiencies identified on your survey, which may include a desk review or onsite revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Verlande Exil, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

Arlene Mayo-Davis, RN
Field Office Manager

AMD:ve
Enclosure

XG90

Miami Field Office
8333 N.W. 53rd Street, Suite 300
Miami, FL 33166
Phone:(305) 593-3100; Fax:(305) 593-3121
AHCA.MyFlorida.com



Facebook.com/AHCAFlorida
Youtube.com/AHCAFlorida
Twitter.com/AHCA_FL
SlideShare.net/AHCAFlorida