

10/2/2015

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA /
Identification Number

AL11964403

(Y2) Multiple Construction

A. Building

B. Wing

(Y3) Date of Revisit

9/24/2015

Name of Facility

VILLA MARGO III

Street Address, City, State, Zip Code

3669 SW 24 TERRACE

MIAMI, FL 33145

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix A0078	Correction Completed 09/24/2015	ID Prefix A0084	Correction Completed 09/24/2015	ID Prefix	Correction Completed
Reg. # 58A-5.019(2) FAC LSC		Reg. # 58A-5.019(5) FAC LSC		Reg. # LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. # LSC		Reg. # LSC		Reg. # LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. # LSC		Reg. # LSC		Reg. # LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. # LSC		Reg. # LSC		Reg. # LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. # LSC		Reg. # LSC		Reg. # LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. # LSC		Reg. # LSC		Reg. # LSC	

Reviewed By

Reviewed By

Date:

Signature of Surveyor:

Date:

State Agency

Reviewed By

Reviewed By

Date:

Signature of Surveyor:

Date:

CMS RO

Followup to Survey Completed on:

7/24/2015

Check for any Uncorrected Deficiencies. Was a Summary of
Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES

NO



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

October 2, 2015

Administrator
Villa Margo III
3669 Sw 24 Terrace
Miami, FL 33145

Dear Administrator:

This letter reports the findings of a complaint survey revisit conducted on September 24, 2015 by representative(s) of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Verlande Exil, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

Arlene Mayo-Davis, RN
Field Office Manager

AMD:ve
Enclosure

DT9D

