

# State Form: Revisit Report

(Y1) Provider / Supplier / CLIA /  
Identification Number  
AL11965357

(Y2) Multiple Construction  
A. Building  
B. Wing

(Y3) Date of Revisit  
10/6/2015

Name of Facility

BROOKDALE NORTH BOYNTON BEACH

Street Address, City, State, Zip Code

4733 NORTHWEST SEVENTH COURT  
BOYNTON BEACH, FL 33426

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

| (Y4) Item                        | (Y5) Date                       | (Y4) Item               | (Y5) Date                       | (Y4) Item               | (Y5) Date                       |
|----------------------------------|---------------------------------|-------------------------|---------------------------------|-------------------------|---------------------------------|
| ID Prefix A0010                  | Correction Completed 10/14/2015 | ID Prefix A0078         | Correction Completed 10/14/2015 | ID Prefix A0081         | Correction Completed 10/14/2015 |
| Reg. # 429.26(1&9) FS: 58A-5.018 |                                 | Reg. # 58A-5.019(2) FAC |                                 | Reg. # 58A-5.019(2) FAC |                                 |
| LSC                              |                                 | LSC                     |                                 | LSC                     |                                 |
| ID Prefix A0090                  | Correction Completed 10/14/2015 | ID Prefix               | Correction Completed            | ID Prefix               | Correction Completed            |
| Reg. # 58A-5.019(11) FAC         |                                 | Reg. #                  |                                 | Reg. #                  |                                 |
| LSC                              |                                 | LSC                     |                                 | LSC                     |                                 |
| ID Prefix                        | Correction Completed            | ID Prefix               | Correction Completed            | ID Prefix               | Correction Completed            |
| Reg. #                           |                                 | Reg. #                  |                                 | Reg. #                  |                                 |
| LSC                              |                                 | LSC                     |                                 | LSC                     |                                 |
| ID Prefix                        | Correction Completed            | ID Prefix               | Correction Completed            | ID Prefix               | Correction Completed            |
| Reg. #                           |                                 | Reg. #                  |                                 | Reg. #                  |                                 |
| LSC                              |                                 | LSC                     |                                 | LSC                     |                                 |
| ID Prefix                        | Correction Completed            | ID Prefix               | Correction Completed            | ID Prefix               | Correction Completed            |
| Reg. #                           |                                 | Reg. #                  |                                 | Reg. #                  |                                 |
| LSC                              |                                 | LSC                     |                                 | LSC                     |                                 |
| ID Prefix                        | Correction Completed            | ID Prefix               | Correction Completed            | ID Prefix               | Correction Completed            |
| Reg. #                           |                                 | Reg. #                  |                                 | Reg. #                  |                                 |
| LSC                              |                                 | LSC                     |                                 | LSC                     |                                 |

Reviewed By

Reviewed By

Date:

Signature of Surveyor:

Date:

State Agency

Reviewed By

Reviewed By

Date:

Signature of Surveyor:

Date:

CMS RO

Followup to Survey Completed on:

8/11/2015

Check for any Uncorrected Deficiencies. Was a Summary of  
Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO



RICK SCOTT  
GOVERNOR

ELIZABETH DUDEK  
SECRETARY

October 20, 2015

Administrator  
Brookdale North Boynton Beach  
4733 Northwest Seventh Court  
Boynton Beach, FL 33426

Dear Administrator:

This letter reports the findings of a state licensure survey desk review revisit conducted on October 6, 2015 by a representative of this office.

Attached is the provider's copy of the State Form (Revisit Report), which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the representative. Should you have any questions please call this office at (561) 381-5840.

Sincerely,

Arlene Mayo-Davis  
Field Office Manager

AMD/dmb  
Enclosure: State Form (Revisit Report)

DT9D

