

10/30/2015

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11967818	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 10/29/2015
Name of Facility SINCERITY	Street Address, City, State, Zip Code 2853 ABINGTON AVENUE ORLANDO, FL 32826	

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>A0030</u> Reg. # <u>58A-5.0182(6) FAC: 429.28</u> LSC _____	Correction Completed 10/29/2015 0030	ID Prefix <u>A0083</u> Reg. # <u>58A-5.0191(4) FAC</u> LSC _____	Correction Completed 10/29/2015 0083	ID Prefix <u>A0093</u> Reg. # <u>58A-5.020(2) FAC</u> LSC _____	Correction Completed 10/29/2015 0093
ID Prefix <u>A0161</u> Reg. # <u>429.275(2) FS: 58A-5.024(2)</u> LSC _____	Correction Completed 10/29/2015 0161	ID Prefix <u>A0162</u> Reg. # <u>58A-5.024(3) FAC</u> LSC _____	Correction Completed 10/29/2015 0162	ID Prefix <u>AZ815</u> Reg. # <u>408.809, 435.02(2), 435.06</u> LSC _____	Correction Completed 10/29/2015 Z815
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed ZZZZ	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed ZZZZ	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed ZZZZ
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed ZZZZ	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed ZZZZ	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed ZZZZ
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed ZZZZ	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed ZZZZ	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed ZZZZ

Reviewed By _____	Reviewed By _____	Date: <u>10/30/15</u>	Signature of Surveyor: _____	Date: _____
State Agency _____	<i>Mary J. S. Decker</i>			
Reviewed By _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____
CMS RO _____				

Followup to Survey Completed on:

6/30/2015

Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

October 30, 2015

Administrator
Sincerity
2853 Abington Avenue
Orlando, FL 32826

RE: Revisit to relicensure survey

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on October 29, 2015 by representative(s) of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Lorraine Henry at (407) 420-2502.

Sincerely,

Theresa DeCanio, RN
Field Office Manager

LH/be
Enclosure

DT9D

Orlando Field Office
400 W. Robinson St., Suite S-309
Orlando, FL 32801
Phone: (407) 420-2502; Fax: (407) 245-0998
AHCA.MyFlorida.com



Facebook.com/AHCAFlorida
Youtube.com/AHCAFlorida
Twitter.com/AHCA_FL
SlideShare.net/AHCAFlorida