

1/4/2016

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA /
Identification Number

AL11963819

(Y2) Multiple Construction

A. Building

B. Wing

(Y3) Date of Revisit

1/4/2016

Name of Facility

WOODLANDS VILLAGE

Street Address, City, State, Zip Code

1055 301 BLVD EAST
BRADENTON, FL 34203

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>A0010</u> Reg. # <u>429.26(1&9) FS: 58A-5.018</u> LSC _____	Correction Completed 01/04/2016	ID Prefix <u>A0011</u> Reg. # <u>58A-5.0181(5) FAC</u> LSC _____	Correction Completed 01/04/2016	ID Prefix <u>A0025</u> Reg. # <u>429.26(7) FS: 58A-5.0182(1)</u> LSC _____	Correction Completed 01/04/2016
ID Prefix <u>A0160</u> Reg. # <u>58A-5.024(1) FAC</u> LSC _____	Correction Completed 01/04/2016	ID Prefix <u>A0162</u> Reg. # <u>58A-5.024(3) FAC</u> LSC _____	Correction Completed 01/04/2016	ID Prefix <u>A0165</u> Reg. # <u>429.23(1-4 & 6-10) FS: 58A</u> LSC _____	Correction Completed 01/04/2016
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By

Reviewed By

Date:

Signature of Surveyor:

Date:

State Agency

Reviewed By

Reviewed By

Date:

Signature of Surveyor:

Date:

CMS RO

Followup to Survey Completed on:

11/20/2015

Check for any Uncorrected Deficiencies. Was a Summary of
Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES

NO



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

January 5, 2016

Administrator
Woodlands Village
1055 301 Blvd East
Bradenton, FL 34203


Dear Administrator:

This letter reports the findings of a state licensure survey desk review conducted on January 4, 2016 by representative(s) of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the desk review.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call **Paul Brown**, HFES at (727) 552-2000.

Sincerely,

for Patricia Reid Cauffman
Field Office Manager

PRC/clt
Enclosure: State Form (5000-3547)

DT9D

St. Petersburg Field Office
525 Mirror Lake Drive North, Suite 410 A
St. Petersburg, FL 33701
Phone: (727) 552-2000; Fax: (727) 552-1162
AHCA.MyFlorida.com



Facebook.com/AHCAFlorida
Youtube.com/AHCAFlorida
Twitter.com/AHCA_FL
SlideShare.net/AHCAFlorida