

**State Form: Revisit Report**

(Y1) Provider / Supplier / CLIA /  
Identification Number  
AL11911664

(Y2) Multiple Construction  
A. Building  
B. Wing

(Y3) Date of Revisit  
1/13/2016

Name of Facility

MAYLU RETIREMENT HOME

Street Address, City, State, Zip Code

4751 NW 4TH TERRACE  
MIAMI, FL 33126

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

| (Y4) Item                                         | (Y5) Date                             | (Y4) Item                  | (Y5) Date               | (Y4) Item                  | (Y5) Date               |
|---------------------------------------------------|---------------------------------------|----------------------------|-------------------------|----------------------------|-------------------------|
| ID Prefix A0162<br>Reg. # 58A-5.024(3) FAC<br>LSC | Correction<br>Completed<br>01/13/2016 | ID Prefix<br>Reg. #<br>LSC | Correction<br>Completed | ID Prefix<br>Reg. #<br>LSC | Correction<br>Completed |
| ID Prefix<br>Reg. #<br>LSC                        | Correction<br>Completed               | ID Prefix<br>Reg. #<br>LSC | Correction<br>Completed | ID Prefix<br>Reg. #<br>LSC | Correction<br>Completed |
| ID Prefix<br>Reg. #<br>LSC                        | Correction<br>Completed               | ID Prefix<br>Reg. #<br>LSC | Correction<br>Completed | ID Prefix<br>Reg. #<br>LSC | Correction<br>Completed |
| ID Prefix<br>Reg. #<br>LSC                        | Correction<br>Completed               | ID Prefix<br>Reg. #<br>LSC | Correction<br>Completed | ID Prefix<br>Reg. #<br>LSC | Correction<br>Completed |
| ID Prefix<br>Reg. #<br>LSC                        | Correction<br>Completed               | ID Prefix<br>Reg. #<br>LSC | Correction<br>Completed | ID Prefix<br>Reg. #<br>LSC | Correction<br>Completed |
| ID Prefix<br>Reg. #<br>LSC                        | Correction<br>Completed               | ID Prefix<br>Reg. #<br>LSC | Correction<br>Completed | ID Prefix<br>Reg. #<br>LSC | Correction<br>Completed |

Reviewed By  
State Agency  
Reviewed By  
CMS RO

Reviewed By  
  
Reviewed By

Date: 1/13/14  
Date:

Signature of Surveyor:  
Signature of Surveyor:

Date:  
Date:

Followup to Survey Completed on:  
12/3/2015

Check for any Uncorrected Deficiencies. Was a Summary of  
Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO



RICK SCOTT  
GOVERNOR  
ELIZABETH DUDEK  
SECRETARY

January 13, 2016

Administrator  
Maylu Retirement Home  
4751 Nw 4th Terrace  
Miami, FL 33126

Dear Administrator:

This letter reports the findings of a standard biennial licensure desk review survey revisit conducted on January 13, 2016 by representative(s) of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Verlande Exil, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

Arlene Mayo-Davis, RN  
Field Office Manager

AMD:ve  
Enclosure

DT9D

