

STATE FORM: REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER AL11963781	MULTIPLE CONSTRUCTION A. Building B. Wing	DATE OF REVISIT 1/29/2016
NAME OF FACILITY VILLAS OF CASA CELESTE (THE)	STREET ADDRESS, CITY, STATE, ZIP CODE 9225 82ND AVENUE NORTH SEMINOLE, FL 33777	

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix A0004	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. # 58A-5.016 FAC	Completed	Reg. #	Completed	Reg. #	Completed
LSC	01/29/2016	LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	

REVIEWED BY STATE AGENCY ☒	REVIEWED BY (INITIALS) PFB	DATE 1/29/16	SIGNATURE OF SURVEYOR	DATE
REVIEWED BY CMS RO ☐	REVIEWED BY (INITIALS)	DATE	TITLE	DATE
FOLLOWUP TO SURVEY COMPLETED ON 12/2/2015		☐ CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? ☐ YES ☐ NO		



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

January 29, 2016

Administrator
Villas of Casa Celeste (The)
9225 82nd Avenue North
Seminole, FL 33777


Dear Administrator:

This letter reports the findings of a state licensure follow-up (desk review) conducted on January 29, 2016, by representative(s) of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiency was found corrected on the day of the desk review.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call **Paul Brown**, HFES, at (727) 552-2000.

Sincerely,

FOV Patricia Reid Cauffman
Field Office Manager

PRC/kpr

Enclosure: Revisit Report

St. Petersburg Field Office
525 Mirror Lake Drive North, Suite 410 A
St. Petersburg, FL 33701
Phone: (727) 552-2000; Fax: (727) 552-1162
AHCA.MyFlorida.com



Facebook.com/AHCAFlorida
Youtube.com/AHCAFlorida
Twitter.com/AHCA_FL
SlideShare.net/AHCAFlorida