

STATE FORM: REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER AL11964602	MULTIPLE CONSTRUCTION A. Building B. Wing	DATE OF REVISIT 3/8/2016
NAME OF FACILITY MI CASITA ALF	STREET ADDRESS, CITY, STATE, ZIP CODE 13562 SW 38 LANE MIAMI, FL 33175	

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix AZ815	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. # 408.809, 435.02(2), 435.06	Completed	Reg. #	Completed	Reg. #	Completed
LSC	03/08/2016	LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	

REVIEWED BY STATE AGENCY ☐	REVIEWED BY (INITIALS) <i>Dr</i>	DATE <i>3/8/16</i>	SIGNATURE OF SURVEYOR <i>Steph</i>	DATE
REVIEWED BY CMS RO ☐	REVIEWED BY (INITIALS)	DATE	TITLE	DATE

FOLLOWUP TO SURVEY COMPLETED ON 1/7/2016	☐ CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? ☐ YES ☐ NO
---	--



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

March 24, 2016

Administrator
Mi Casita Alf
13562 Sw 38 Lane
Miami, FL 33175

Dear Administrator:

This letter reports the findings of extended congregate care monitoring survey revisit conducted on March 8, 2016 by representative(s) of this office.

Attached is the provider's copy of the Revisit Report(s), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Verlande Exil, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

Arlene Mayo-Davis, RN
Field Office Manager

AMD:ve
Enclosure

J5XD

